



1




2



3



4



5

VOLVO
KA 8416

Sida	Grupp	Färg	Enamel	Illustration						
252	8	färgkod 19, 42, 46, 94	colour codes 19, 42, 46, 94	8416	2550					
Page	Group				1975-12					
Pos. Fig.	Antal/Quantity				Detalj nr Part No	Benämning	Description	Sats Kit	Anmärkning Notes	
	19	42	46	94						
1	-	-	-	-		Färg, lufttorkande, 1 kg	Enamel, air drying, 1 kg			1010
	1	-	-	-	79982-5	•Svart	•Black	1		1020
	-	1	-	-	279256-2	•Vit	•White	1	CODE 42.	1030
	-	1	-	-	283388-7	•Vit	•White	1	CODE 42-2.	1035
	-	-	1	-	279266-1	•Röd	•Red	1		1040
	-	-	-	1	281061-2	•Grön	•Green	1		1050
	-	-	-	-		Färg, ugnstorkande vid	Enamel, 80 degrees			1060
	-	-	-	-		80 grader, 1 kg	stoving, 1 kg			1070
	1	-	-	-		•Svart	•Black	8	(279082)	1080
	-	1	-	-	279254-7	•Vit	•White	1	CODE 42.	1090
-	1	-	-	283389-5	•Vit	•White	1	CODE 42-2.	1095	
-	-	-	1		•Röd	•Red	8	(279264)	1100	
-	-	-	-	1	281062-0	•Grön	•Green	1		1105
2	-	-	-	-		Färg,	Enamel,			1120
	-	-	-	-		lufttorkande, 0,1 kg	air drying, 0.1 kg			1130
	1	-	-	-	79933-8	•Svart	•Black	1		1140
	-	1	-	-	279255-4	•Vit	•White	1	CODE 42.	1150
	-	1	-	-	283390-3	•Vit	•White	1	CODE 42-2.	1155
	-	-	1	-	279265-3	•Röd	•Red	1		1160
3	-	-	-	1	281060-4	•Grön	•Green	1		1170
	-	-	-	-		Färgpenna	Touch-up pen			1180
	1	-	-	-	283476-0	•Svart	•Black		(277020)	1200
	-	1	-	-	283478-6	•Vit	•White			1210
4	-	-	1	-	283479-4	•Röd	•Red			1220
	-	-	-	1	283488-5	•Grön	•Green			1230
	-	-	-	-		Färg, sprayförpackning	Enamel, spray can			1240
	1	-	-	-	277925-4	•Svart	•Black	1		1250
	-	-	1	-	277928-8	•Röd	•Red	1		1260
5	-	-	-	1	281065-3	•Grön	•Green	1		1270
	-	-	-	-		Färg, sprayförpackning	Enamel, spray can			1280
	1	-	-	-	277500-5	•Svart	•Black	1		1290
	-	-	1	-	277503-9	•Röd	•Red	1		1300
-	-	-	1	281064-6	•Grön	•Green	1		1310	
										1320
										1330

Sida	Grupp	Färg	Enamel	Illustration	2600					
254	8	färgkod 96, 97, 98, 99	colour codes 96, 97, 98, 99	8416						
Page	Group				1975-12					
Pos. Fig.	Antal/Quantity				Detalj nr Part No	Benämning	Description	Sats Kit	Anmärkning Notes	
	96	97	98	99						
1	-	-	-	-		Färg, lufttorkande, 1 kg	Enamel, air drying, 1 kg			1010
	1	-	-	-	281067-9	•Mörkblå	•Dark blue	1		1020
	-	1	-	-	281186-7	•Gul	•Yellow	1		1030
	-	-	1	-	281192-5	•Grå	•Grey	1		1040
	-	-	-	1	281480-4	•Mellanblå	•Medium blue	1		1050
	-	-	-	-		Färg, ugnstorkande vid	Enamel, 80 degrees			1060
						80 grader, 1 kg	stavning, 1 kg			1070
	1	-	-	-	281068-7	•Mörkblå	•Dark blue	1		1080
	-	1	-	-	281188-3	•Gul	•Yellow	1		1090
	-	-	-	1		•Grå	•Grey	8	(281194)	1100
2	-	-	-	1	281482-0	•Mellanblå	•Medium blue	1		1110
	-	-	-	-		Färg,	Enamel,			1120
	1	-	-	-	281066-1	•Mörkblå	•Dark blue	1		1130
	-	1	-	-	281187-5	•Gul	•Yellow	1		1140
	-	-	1	-		•Grå	•Grey	8	(281193)	1150
	-	-	-	1	281481-2	•Mellanblå	•Medium blue	1		1160
	-	-	-	-		Färgpenna	Touch-up pen			1170
	1	-	-	-	281069-5	•Mörkblå	•Dark blue	1		1180
	-	1	-	-	283491-9	•Gul	•Yellow	1	(281191)	1190
	-	-	1	-	283492-7	•Grå	•Grey	1	(281197)	1200
3	-	-	-	1	283493-5	•Mellanblå	•Medium blue	1	(281485)	1210
	-	-	-	-		Färg, sprayförpackning	Enamel, spray can			1220
	1	-	-	-	281071-1	•Mörkblå	•Dark blue	1		1230
	-	1	-	-	281189-1	•Gul	•Yellow	1		1240
	-	-	1	-	281195-8	•Grå	•Grey	1		1250
	-	-	-	1	281483-8	•Mellanblå	•Medium blue	1		1260
	-	-	-	-		Färg, sprayförpackning	Enamel, spray can			1270
	1	-	-	-	281070-3	•Mörkblå	•Dark blue	1		1280
	-	1	-	-	281190-9	•Gul	•Yellow	1		1290
	-	-	1	-	281196-6	•Grå	•Grey	1		1300
4	-	-	-	1	281484-6	•Mellanblå	•Medium blue	1		1310
	-	-	-	-		Färg, sprayförpackning	Enamel, spray can			1320
	1	-	-	-	281070-3	•Mörkblå	•Dark blue	1		1330
	-	1	-	-	281190-9	•Gul	•Yellow	1		1340
5	-	-	1	-	281196-6	•Grå	•Grey	1		1350
	-	-	-	1	281484-6	•Mellanblå	•Medium blue	1		1360
	-	-	-	-		Färg, sprayförpackning	Enamel, spray can			1370
	1	-	-	-	281070-3	•Mörkblå	•Dark blue	1		1380

Sida 256	Grupp 8	Färg färgkod 100, 101, 102, 103	Enamel colour codes 100, 101, 102, 103	Illustration 8416 1975-12	2650
Page	Group				

Pos. Fig.	Antal/Quantity				Detalj nr Part No	Benämning	Description	Sats Kit	Anmärkning Notes	
	100	101	102	103						
1	-	-	-	-	282136-1	Färg, lufttorkande, 1 kg	Enamel, air drying, 1 kg			1010
	1	-	-	-	282142-9	•Gul	•Yellow	1		1020
	-	1	-	-	282154-4	•Grå	•Grey	1		1030
	-	-	-	1		•Vinröd	•Maroon	1		1040
	-	-	-	-		Färg, ugnstorkande vid	Enamel, 80 degrees			1050
	-	-	-	-		80 grader, 1 kg	stoving, 1 kg			1060
	1	-	-	-	282138-7	•Gul	•Yellow	1		1070
	-	1	-	-		•Grå	•Grey	8	(282144)	1080
	-	-	-	1	282156-9	•Vinröd	•Maroon	1		1090
	-	-	-	-		Färg, grundmetallic	Enamel, primer			1100
	-	-	1	-	282190-8	•Blå – metallic	•Blue – metallic	1		1110
	-	-	1	-	282192-4	•Förtunning, 0,5 kg	•Thinner, 0.5 kg	1		1120
	-	-	-	-		Klarlack	Unpigmented enamel,			1130
	-	-	-	-		lufttorkande	air drying			1140
	-	-	1	-	282195-7	•Klarlack, 1 kg	•Unpigmented enamel,			1150
	-	-	-	-			1 kg			1151
	-	-	1	-	282197-3	•Förtunning, 0,5 kg	•Thinner, 0.5 kg	1		1160
	-	-	1	-	282196-5	•Härdare, 0,5 kg	•Hardener, 0.5 kg	1		1170
	-	-	-	-		Klarlack, ugnstorkande	Unpigmented enamel,			1180
	-	-	-	-		vid 80 grader	80 degrees stoving			1190
	-	-	1	-	282193-2	•Klarlack, 1 kg	•Unpigmented enamel,			1200
	-	-	-	-			1 kg			1201
	-	-	1	-	277299-4	•Förtunning, 5 kg	•Thinner, 5 kg	1		1210
	-	-	1	-	282194-0	•Katalysator, 5 cl	•Catalyst, 5 cl	1		1220
2	-	-	-	-		Färg,	Enamel,			1230
	-	-	-	-		lufttorkande, 0,1 kg	air drying, 0.1 kg			1240
	1	-	-	-	282137-9	•Gul	•Yellow	1		1250
	-	1	-	-	282143-7	•Grå	•Grey	1		1260
	-	-	-	1	282155-1	•Vinröd	•Maroon	1		1270
3	-	-	-	-		Färgpenna	Touch – up enamel			1280
	1	-	-	-	283494-3	•Gul	•Yellow		(282141)	1290
	-	1	-	-	283495-0	•Grå	•Grey		(282147)	1300
	-	-	1	-	283496-8	•Blå – metallic	•Blue – metallic		(282153)	1310
	-	-	-	1	283497-6	•Vinröd	•Maroon		(282159)	1320
4	-	-	-	-		Färg, sprayförpackning,	Enamel, spray can,			1330
	-	-	-	-		lufttorkande, 0,37 kg	air drying, 0.37 kg			1340
	1	-	-	-	282139-5	•Gul	•Yellow	1		1350
	-	1	-	-	282145-2	•Grå	•Grey	1		1360
	-	-	1	-	282151-0	•Blå – metallic	•Blue – metallic	1		1370
	-	-	-	1	282157-7	•Vinröd	•Maroon	1		1380
5	-	-	-	-		Färg, sprayförpackning,	Enamel, spray can,			1390
	-	-	-	-		lufttorkande, 0,13 kg	air drying, 0.13 kg			1400
	1	-	-	-	282140-3	•Gul	•Yellow	1		1410
	-	1	-	-	282146-0	•Grå	•Grey	1		1420
	-	-	1	-	282152-8	•Blå – metallic	•Blue – metallic	1		1430
	-	-	-	1	282158-5	•Vinröd	•Maroon	1		1440

Sida Page		Grupp Group		Färg färgkod 105, 110, 111		Enamel colour code 105, 110, 111		Illustration 8416 1975-12		2700
Pos. Fig.	Antal/Quantity				Detalj nr Part No	Benämning	Description	Sats Kit	Anmärkning Notes	
	105	110	111							
1	-	-	-	-		Färg, lufttorkande, 1 kg	Enamel, air drying, 1 kg			1010
	-	1	-	-	282494-4	•Cypressgrön	•Cypress green	1		1020
	-	-	-	-		Färg, ugnstorkande vid 80 grader, 1 kg	Enamel, 80 degress stoving, 1 kg			1030
	-	1	-	-	282496-9	•Cypressgrön	•Cypress green	1		1040
	-	-	-	-		Färg, grundmetallic	Enamel, primer			1050
	1	-	-	-	282286-4	•Guld – metallic, 1 kg	•Gold – metallic, 1 kg	1	ALT 1 KOD 105	1060
	1	-	-	-	282852-3	•Guld – metallic, 1 kg	•Gold – metallic, 1 kg	1	ALT 2 KOD 105-2	1070
	-	-	1	-	282853-1	•Ljusblå metallic, 1 kg	•Light blue metallic, 1 kg		ALT 1 KOD 111	1080
	-	-	1	-	282853-1	•Ljusblå metallic, 1 kg	•Light blue metallic, 1 kg	1	ALT 2 KOD 111-2	1090
	1	-	1	-	282192-4	•Förtunning, 0,5 kg	•Thinner, 0,5 kg	1		1090
	-	-	-	-		Klarlack	Unpigmented enamel,			1100
	1	-	1	-	282195-7	•Klarlack, 1 kg	•Unpigmented enamel, 1 kg			1120
	1	-	1	-	282197-3	•Förtunning 0,5 kg	•Thinner, 0,5 kg	1		1130
	1	-	1	-	282196-5	•Härdare, 0,5 kg	•Hardener, 0,5 kg	1		1131
	-	-	-	-		Klarlack, ugnstorkande vid 80 grader	Unpigmented enamel, 80 degress stoving			1140
	1	-	1	-	282193-2	•Klarlack, 1 kg	•Unpigmented enamel, 1 kg			1160
	1	-	1	-	277299-4	•Förtunning, 5 kg	•Thinner, 5 kg	1		1170
	1	-	1	-	282194-0	•Katalysator, 5 cl	•Catalyst, 5 cl	1		1180
2	-	-	-	-		Färg,	Enamel,			1181
	1	-	-	-		lufttorkande, 0,1 kg	air drying, 0,1 kg			1190
	-	1	-	-	282495-1	•Guld – metallic	•Gold – metallic	8		1200
	-	-	1	-		•Cypressgrön	•Cypress green	1		1210
	-	-	1	-		•Ljusblå metallic	•Light blue metallic	8		1220
3	-	-	-	-		Färgpenna	Touch – up enamel			1220
x	1	-	-	-	283499-2	•Guld – metallic	•Gold – metallic		(282289)	1230
x	-	1	-	-	283503-1	•Cypressgrön	•Cypress green		(282499)	1240
x	-	-	1	-	283504-9	•Ljusblå metallic	•Light blue metallic		(282475)	1250
4	-	-	-	-		Färg, sprayförpackning, lufttorkande, 0,37 kg	Enamel, spray can, air drying, 0,37 kg			1260
	1	-	-	-	282287-2	•Guld – metallic	•Gold – metallic	1		1270
	-	1	-	-	282497-7	•Cypress grön	•Cypress green	1		1280
	-	-	1	-	282473-8	•Ljusblå metallic	•Light blue metallic	1		1290
5	-	-	-	-		Färg, sprayförpackning, lufttorkande, 0,13 kg	Enamel, spray can, air drying, 0,13 kg			1300
	1	-	-	-	282288-0	•Guld – metallic	•Gold – metallic	1		1310
	-	1	-	-	282498-5	•Cypress grön	•Cypress green	1		1320
	-	-	1	-	282474-6	•Ljusblå metallic	•Light blue metallic	1		1330

Sida	Grupp	Färg	Enamel	Illustration 8416	2750					
260	8	färgkod	colour codes							
Page	Group	113-1, 114-1, 115-1, 116-1	113-1, 114-1, 115-1, 116-1	1975-12						
Pos.	Antal/Quantity				Detalj nr	Benämning	Description	Sats	Anmärkning	
Fig.	113	114	115	116	Part No			Kit	Notes	
	-1	-1	-1	-1						
1	-	-	-	-		Färg, lufttorkande, 1 kg	Enamel, air drying, 1 kg			0020
	1	-	-	-	282885-3	•Orange	•Orange		CODE 113-1.	0040
	1	-	-	-	283250-9	•Orange	•Orange		CODE 113-2.	0060
	-	1	-	-	282891-1	•Mörkblå	•Dark blue			0080
	-	-	-	1	283310-1	•Gul	•Yellow			0100
	-	-	-	-		Färg, ugnstorkande vid	Enamel, 80 degrees			0120
						80 grader, 1 kg	stoving, 1 kg			0140
	1	-	-	-	282886-1	•Orange	•Orange		CODE 113-1.	0160
	1	-	-	-	283251-7	•Orange	•Orange		CODE 113-2.	0180
	-	1	-	-		•Mörkblå	•Dark blue	8	(282892)	0200
	-	-	-	1	283311-9	•Gul	•Yellow			0220
	-	-	-	-		Färg, grundmetallic	Enamel, primer			0240
	-	-	1	-	282897-8	•Grönblå, 1 kg	•Sea green, 1 kg			0260
	-	-	1	-	282192-4	•Förtunning, 0,5 kg	•Thinner, 0,5 kg			0280
	-	-	-	-		Klarlack,	Unpigmented enamel,			0300
	-	-	-	-		lufttorkande	air drying			0320
	-	-	1	-	282195-7	•Klarlack, 1 kg	•Unpigmented enamel,			0340
	-	-	1	-			1 kg			0360
	-	-	1	-	282197-3	•Förtunning, 0,5 kg	•Thinner, 0,5 kg			0380
	-	-	1	-	282196-5	•Härdare, 0,5 kg	•Hardener, 0,5 kg			0400
	-	-	-	-		Klarlack, ugnstorkande	Unpigmented enamel,			0420
	-	-	1	-		vid 80 grader	80 degrees stoving			0440
	-	-	1	-	282193-2	•Klarlack, 1 kg	•Unpigmented enamel,			0460
	-	-	1	-			1 kg			0480
	-	-	1	-	277299-4	•Förtunning, 5 kg	•Thinner, 5 kg			0500
	-	-	1	-	282194-0	•Katalysator, 5 cl	•Catalyst, 5 cl			0520
2	-	-	-	-		Färg	Enamel			0540
						lufttorkande, 0,1 kg	air drying, 0.1 kg			0560
	1	-	-	-	282890-3	•Orange	•Orange		CODE 113-1.	0580
	1	-	-	-	283252-5	•Orange	•Orange		CODE 113-2.	0600
	-	1	-	-	282896-0	•Mörkblå	•Dark blue			0620
	-	-	-	1	283315-0	•Gul	•Yellow			0640
3	-	-	-	-		Färgpenna	Touch-up pen			0660
	1	-	-	-	282889-5	•Orange	•Orange			0680
	-	1	-	-	282895-2	•Mörkblå	•Dark blue			0700
	-	-	1	-	283506-4	•Grönblå	•Sea green		(282900)	0720
	-	-	-	1	283507-2	•Gul	•Yellow		(283314)	0740
4	-	-	-	-		Färg, sprayförpackning,	Enamel, spray can,			0760
						lufttorkande 0,37 kg	air drying 0.37 kg			0780
	1	-	-	-	282888-7	•Orange	•Orange			0800
	-	1	-	-	282894-5	•Mörkblå	•Dark blue			0820
	-	-	1	-	282899-4	•Grönblå	•Sea green			0840
	-	-	-	1	283313-5	•Gul	•Yellow			0860
5	-	-	-	-		Färg sprayförpackning,	Enamel, spray can,			0880
						lufttorkande 0,13 kg	air drying 0.13 kg			0900
	1	-	-	-	282887-9	•Orange	•Orange			0920
	-	1	-	-	282893-7	•Mörkblå	•Dark blue			0940
	-	-	1	-	282898-6	•Grönblå	•Sea green			0960
	-	-	-	1	283312-7	•Gul	•Yellow			0980



Sida 262		Grupp 8		Färg färgkod 117-1, 118-1, 119-1, 120-1		Enamel colour codes 117-1, 118-1, 119-1, 120-1		Illustration 8416 1975-12		2775
Pos. Fig.	Antal/Quantity				Detalj nr Part No	Benämning	Description	Sats Kit	Anmärkning Notes	
	117 -1	118 -1	119 -1	120 -1						
1	-	-	-	-	283316-8	Färg, lufttorkande, 1 L	Enamel, air drying, 1 L			0020
	1	-	-	-	283316-8	•Röd	•Red			0040
	-	1	-	-	283633-6	•Ljusgrön	•Light green			0060
	-	-	1	-	283639-3	•Beige metallic	•Beige metallic			0080
	-	-	-	1	283645-0	•Koppar metallic	•Copper metallic			0100
	-	-	-	-		Färg, ugnstorkande vid	Enamel, 80 degrees			0120
	-	-	-	-		80 grader, 1 L	stoving, 1 L			0140
	1	-	-	-	283317-6	•Röd	•Red			0160
	-	1	-	-	283634-4	•Ljusgrön	•Light green			0180
2	-	-	-	-		Färg,	Enamel,			0200
	-	-	-	-		lufttorkande, 0,1 kg	air drying, 0.1 kg			0220
	1	-	-	-	283321-8	•Röd	•Red			0240
	-	1	-	-	283638-5	•Ljusgrön	•Light green			0260
3	-	-	-	-		Färgpenna	Touch-up pen			0280
	1	-	-	-	283508-0	•Röd	•Red		(283320)	0300
	-	1	-	-	283637-7	•Ljusgrön	•Light green			0320
	-	-	1	-	283643-5	•Beige	•Beige			0340
	-	-	-	1	283649-2	•Koppar metallic	•Copper metallic			0360
4	-	-	-	-		Färg, sprayförpackning	Enamel, spray can,			0380
	-	-	-	-		lufttorkande, 0,37 kg	air drying 0.37 kg			0400
	1	-	-	-	283319-2	•Röd	•Red			0420
	-	1	-	-	283636-9	•Ljusgrön	•Light green			0440
	-	-	1	-	283642-7	•Beige	•Beige			0460
	-	-	-	1	283648-4	•Koppar metallic	•Copper metallic			0480
5	-	-	-	-		Färg, sprayförpackning	Enamel, spray can,			0500
	-	-	-	-		lufttorkande, 0,13 kg	air drying, 0.13 kg			0520
	1	-	-	-	283318-4	•Röd	•Red			0540
	-	1	-	-	283635-1	•Ljusgrön	•Light green			0560
	-	-	1	-	283641-9	•Beige	•Beige			0580
	-	-	-	1	283647-6	•Koppar metallic	•Copper metallic			0600