



Pos Fig.	Antal Qty.			Benämning	Description	Det. nr Part No.	Anmärkning Notes
	P120 P130	P120 P130	P220				
1	1			Bakaxel, utv 4,56:1 .....	Rear axle, ratio 4.56:1 .....	255470-7	
	1			Bakaxel, utv 4,56:1 .....	Rear axle, ratio 4.56:1 .....	255485-5	
		1		Bakaxel, utv 4,1:1 .....	Rear axle, ratio 4.1:1 .....	255469-9	
		1		Bakaxel, utv 4,1:1 .....	Rear axle, ratio 4.1:1 .....	255490-5	<del>255484-</del>
			1	Bakaxel, utv 4,56:1 .....	Rear axle, ratio 4.56:1 .....	255471-5	
2	1	1		. Bakaxelkåpa .....	. Rear axle housing .....	384191-3	1)
2a	1	1		. Bakaxelkåpa .....	. Rear axle housing .....	384313-3	2)
3			1	. Bakaxelkåpa .....	. Rear axle housing .....	384192-1	
4	2	2	2	. Överfall .....	. Cap .....	S E S	
5	4	4	4	. Skruv .....	. Screw .....	955551-7	
6	1	1	1	. Inspektionslock .....	. Inspection cover .....	89253-9	
7	1	1	1	. Propp .....	. Plug .....	952359-1	
8	1	1	1	. Packning .....	. Gasket .....	89254-1	
9	10	10	10	. Skruv .....	. Screw .....	955523-6	
10	10	10	10	. Lösbricka .....	. Lock washer .....	955949-3	
11	1	1	1	. Differential .....	. Differential .....	384196-2	3)
12	1	1	1	. Hus .....	. Housing .....	384199-6	
13	2	2	2	. Differentialhjul .....	. Side pinion .....	384206-9	
14	2	2	2	. Tryckbricka, tj = 0,78 ..	. Thrust washer, Th = 0.78 ..	384366-1	Alt
	2	2	2	tj = 0,82 ..	Th = 0.82 ..	384367-9	
	2	2	2	tj = 0,86 ..	Th = 0.86 ..	384368-7	
	2	2	2	tj = 0,90 ..	Th = 0.90 ..	384369-5	
	2	2	2	tj = 0,94 ..	Th = 0.94 ..	384370-3	
15	2	2	2	. Differentialhjul .....	. Side gear .....	384204-4	
16	2	2	2	. Tryckbricka .....	. Thrust washer .....	384209-3	
17	1	1	1	. Axeltapp .....	. Shaft pin .....	384201-0	
18	1	1	1	. Lös-pinne .....	. Lock pin .....	191838-2	
19	1	1	1	. Distanshylsa .....	. Spacer sleeve .....	384202-8	
20	1		1	. Kronhjul och pinjonsats ..	. Crown wheel and pinion kit ..	273127-1	<del>384212-</del>
		1		. Kronhjul och pinjonsats ..	. Crown wheel and pinion kit ..	273126-3	<del>384211-</del>
21	10	10	10	. Skruv .....	. Bolt .....	191807-7	
22	1	1	1	. Mutter .....	. Nut .....	88726-5	<del>656441-</del>
23	1	1	1	. Bricka .....	. Washer .....	80513-5	
				. Olja .....	. Oil .....	281479-6	4)
				Olja .....	Oil .....	281478-8	

1. P120 ch-225049.  
P130 ch-216949.
2. P120 ch 225050-.  
P130 ch 216950-.
3. Vid byte till "Anti Spinn" skall differential 384479-2 monteras, se sida 108.  
With transition to "Anti Spinn" differential 384479-2 must be installed, see page 108.  
Lors du remplacement par "Anti Spinn" le différentiel 384479-2 doit être monté voir page 108.  
Beim Austausch zu "Anti Spinn" muss Ausgleichgetriebe 384479-2 eingebaut werden, siehe Seite 108.  
Al montarse el "Anti Spinn" se deben también montar el diferencial 384479-2, véase pág. 108.
4. Ej för "Anti Spinn". Vid byte av kronhjul och pinjonsats på "Anti-Spinn"-axlar, skall olja 281478-8 användas.  
Not for "Anti-Spinn". Oil 281478-8 must be used in conjunction with the replacement of "Anti-Spinn" crown wheel and pinion sets.  
Pas pour Anti-Spinn. Lors de remplacement de la couronne et de jeu de pignons sur les essieux "Anti-Spinn" de l'huile 281478-8 doit être employée.  
Nicht für Anti-Spinn. Beim Ausbau von Tellerrad und Antriebskegelrad bei "Anti-Spinn" Wellen ist Öl 281478-8 zu verwenden.  
No para Anti-Spinn. Al realizarse el cambio de corona y pinón en los ejes con "Anti-Spinn", debe utilizarse aceite 281478-8.

Pos Fig.	Antal Qty.			Benämning	Description	Det. nr Part No.	Anmärkning Notes
	P120 P130	P120 P130	P220				
24	2	2	2	. Rullager, innerring	. Roller bearing cone	181305-4	SKF:K-LM 501349
25	2	2	2	. Rullager, yttering	. Roller bearing cup	181662-8	SKF:K-LM 501314
26	erf	erf	erf	. Justermellanlägg, tj = 0,003"	. Shim, Th = 0.003"	81374-1	- Alt
	erf	erf	erf	tj = 0,005"	Th = 0.005"	81375-8	
	erf	erf	erf	tj = 0,010"	Th = 0.010"	120622-6	
	erf	erf	erf	tj = 0,030"	Th = 0.030"	81377-4	
27	1	1	1	. Rullager, innerring	. Roller bearing cone	181303-9	SKF:K-HM 88649
28	1	1	1	. Rullager, yttering	. Roller bearing cup	181304-7	SKF:K-HM 88610
29	erf	erf	erf	. Justermellanlägg, tj = 0,003"	. Shim, Th = 0.003"	87655-7	- Alt
	erf	erf	erf	tj = 0,005"	Th = 0.005"	191840-8	
	erf	erf	erf	tj = 0,010"	Th = 0.010"	191841-6	
30	1	1	1	. Rullager, innerring	. Roller bearing cone	181301-3	SKF:k-M 86647
31	1	1	1	. Rullager, yttering	. Roller bearing cup	181302-1	SKF:K-M 88610
32	erf	erf	erf	. Justermellanlägg, tj = 0,003"	. Shim, Th = 0.003"	191834-1	- Alt
	erf	erf	erf	tj = 0,005"	Th = 0.005"	191835-8	
	erf	erf	erf	tj = 0,010"	Th = 0.010"	191837-4	
	erf	erf	erf	tj = 0,030"	Th = 0,030"	191836-6	
33	1	1	1	. Oljeklät	. Oil plate	384474-3	
34	1	1	1	. Oljeslungare	. Oil deflector	80506-9	
35	1	1	1	. Oljetätning	. Oil seal	80507-7	1) Tid utf
36	1	1	1	. Packning	. Gasket	80508-5	1)
37	1	1	1	. Oljetätning	. Oil seal	942905-1	Sen utf <del>942896</del>
38	1	1	1	. Medbringare	. Companion flange	384281-2	
39	1	1	1	. Dammslungare	. Dust slinger	81388-1	
40	8	8	8	. Skruv	. Bolt	955676-2	<del>105164</del>
41	8	8	8	. Mutter	. Nut	955848-7	

1. Ers av 942905-1.