

Grupp Group		4			P 120 P 130 P 220(B18)			VOLVO	
Sida Page	92	Utgåva Issue	1	Bakaxel	P 220	Rear axle	Reservdelskatalog Parts catalogue		
Pos Fig.	Antal Qty.	Benämning		Description		Det. nr Part No.	Anmärkning Notes		
1	1	Bakaxel, utv 4,56:1		Rear axle, ratio 4.56:1		669476-4			
2	1	. Bakaxelkåpa Rear axle casing		662859-8			
3	2	. . Överfall Cap		S E S			
4	4	. . Skruv Screw		80459-1			
5	4	. . Låsbricka Lock washer		955951-9	951702		
6	1	. . Propp Plug		952359-1			
7	1	. . Fäste, V Anchorage, L		S E S			
	1	. . Fäste, H Anchorage, R		S E S			
8	1	. . Fäste Anchorage		S E S			
9	1	. Inspektionslock Inspection cover		89253-9			
10	1	. . Propp Plug		952359-1			
11	1	. Packning Gasket		89254-1			
12	10	. Skruv Screw		955523-6	101102		
13	10	. Fjäderbricka Spring washer		955921-2	906990		
14	1	. Differential Differential		655585-8	1)		
15	1	. . Hus Housing		655586-6			
16	2	. . Differentialhjul Side pinion		89946-8			
17	2	. . Tryckbricka Thrust washer		658620-0			
18	2	. . Differentialhjul Side gear		89947-6			
19	2	. . Tryckbricka Thrust washer		89948-4			
20	1	. . Axeltapp Shaft pin		89949-2			
21	1	. . Låspinne Lock pin		81369-1	950551		
22	1	. . Distanshylsa Spacer sleeve		89260-4			
23	1	. Kronhjul och pinjong ..		. Crown wheel and pinion		658961-8	Ant kuggar $\begin{matrix} 50 \times 11 \\ 41 \times 9 \end{matrix}$ alt		
24	8	. Skruv Screw		190555-3			
25	4	. Låsbricka Lock washer		120301-7			
26	2	. Rullager, innerring Roller bearing, cone		181190-0	SKF:3K-24780		
27	2	. Rullager, yttering Roller bearing, cup		181191-8	SKF:3K-24721		
28	erf	. Justermellanlägg, tj = 0,003" Shim, Th = 0.003"		81374-1			
	erf tj = 0,005" Th = 0.005"		81375-8			
	erf tj = 0,010" Th = 0.010"		120622-6			
	erf tj = 0,030" Th = 0.030"		81377-4			
29	1	. Rullager, innerring Roller bearing, cone		18452-3	SKF:2K-31593		
30	1	. Rullager, yttering Roller bearing, cup		18453-1	SKF:2K-31520		
31	erf	. Justermellanlägg, tj = 0,003" Shim, Th = 0.003"		81383-2			
	erf tj = 0,005" Th = 0.005"		81384-0			
	erf tj = 0,010" Th = 0.010"		120623-4			
32	1	. Rullager, innerring Roller bearing, cone		18450-7	SKF:2K-02872		
33	1	. Rullager, yttering Roller bearing, cup		18451-5	SKF:2K-02820		
34	erf	. Justermellanlägg, tj = 0,003" Shim, Th = 0.003"		81379-0			
	erf tj = 0,005" Th = 0.005"		81380-8			
	erf tj = 0,010" Th = 0.010"		120621-8			
	erf tj = 0,030" Th = 0.030"		81382-4			

1. Vid byte till "Anti Spinn" skall differential 670290-6, sida 108, och drivaxel 668625-7 monteras.
 With transition to "Anti Spinn" differential 670290-6, page 108, and drive shaft 668625-7 must be installed.
 Lors de remplacement en "Anti-Spinn", le différentiel 670290-6, page 108, et l'arbre moteur 668625-7 doivent être montés.
 Bei Montage von "Anti-Spinn" muss Ausgleichgetriebe 670290-6, seite 108, und Antriebswelle 668625-7 eingebaut werden.
 Al montarse el "Anti-Spinn" se deben tambien montar, el diferencial 670290-6, pag. 108, y dos palieres 668625-7.

Grupp Group 4		P 120 P 130 P 220(B18)			VOLVO Reservdelskatalog Parts catalogue	
Sida Page 94	Utgåva Issue 1	Bakaxel	P220	Rear axle		
Pos Fig.	Antal Qty.	Benämning	Description	Det. nr Part No.	Anmärkning Notes	
35	1	. Oljeslungare Oil deflector	80506-9		
36	1	. Oljetätning Oil seal	80507-7	1)	
37	1	. Packning Gasket	80508-5	1) Tid utf	
38	1	. Oljetätning Oil seal	942905-1	Sen utf -942896-	
	1	. Medbringare Companion flange	654923-2	2)	
39	1	. Medbringare Companion flange	89263-8	3)	
40	1	. Dammslungare Dust slinger	81388-1		
41	1	. Mutter Nut	88726-5	656441-	
42	1	. Bricka Washer	80513-5		

1. Ers av 942905-1
2. Alt 1. Kloformad.
Alt 1. Yoke
Alt 1. en crochet
Ausführung 1. Klauenform.
Alt 1. Forma de garra.
3. Alt 2. Rund.
Alt 2. Flange.
Alt 2. rond
Ausführung 2. rund.
Alt 2. Redondo.