



Grupp Group		4				P 120			VOLVO Reservdelskatalog Parts catalogue	
Sida Page	52	Utgåva Issue		3		Kardanaxel		Propeller shafts		
Pos Fig.	Antal Qty.				Benämning	Description	Det. nr Part No.	Anmärkning Notes		
	653051	656794	662344	662981						
1	1				Kardanaxel, främre, kompl.	Propeller shaft, forward, cpl.	653051-3	1)		
		1			Kardanaxel, främre, kompl.	Propeller shaft, forward, cpl.	656794-5	2)		
				1	Kardanaxel, främre, kompl.	Propeller shaft, forward, cpl.	662344-1	3)		
					. Detaljer se sida 56	. Components, see page 56				
2				1	Kardanaxel, främre, kompl.	Propeller shaft, forward, cpl.	662981-0	4)		
3	1	1	1		Smörjnippel	Lubricating nipple	180007-7			
4	2	2	2		Krampa	U-bolt	190424-2			
5	4	4	4		Mutter	Nut	921781-1			
6	4	4	4		Fjäderbricka	Spring washer	906990-7			
7	1	1	1		Hållare	Retainer	653233-7	5)		
8	1	1	1		Hållare	Retainer	658516-0	6)		
9				1	Hållare	Retainer	662493-6			
10	2	2	2		Gummikudde	Rubber cushion	653192-5	5)		
11	2	2	2	2	Gummikudde	Rubber cushion	658653-1	6)		
12	1	1	1		Returfjäder	Return spring	653925-8	5)		
	1	1	1		Returfjäder	Return spring	661103-2	7)		
13	1	1	1		Skruv	Screw	190953-0			
14	1	1	1		Kullager	Ball bearing	181252-8	SKF: 23G-88107		
				1	Kullager	Ball bearing	181261-9	SKF: 24G-88506		
15	1	1	1		Stänkskydd	Splash protector	666226-6	653219-		
				1	Stänkskydd	Splash protector	86443-9			
16	1	1	1		Tryckbricka	Thrust washer	190426-7			
17	1	1	1		Låsbricka	Lock washer	190427-5			
18	1	1	1		Korkpackning	Cork packing	15550-7			
19	1	1	1		Bricka	Washer	190425-9			
20	1	1	1		Mutter	Nut	190428-3			
21				1	Medbringare	Companion flange	86460-3	8)		
				1	Medbringare	Companion flange	656828-1	9)		
22				1	Skruv	Bolt	921659-9	5)		
23				1	Fjäderbricka	Spring washer	906994-9			
24				1	Bricka	Washer	120065-8			

1. För H6 växellåda.
2. För M4, M30 och M40 växellådor.
3. För M31 växellåda.
4. Endast för ett visst antal fordon inom USA marknaden. Detta utförande igenkänns på att växellåda och kardanaxlar är försedda med runda medbringare och bakaxel med rektangulär medbringare. M40 växellåda.

5. T.o.m. chassi nr 19225 utom nr 18992-18993, 19018-19044, 19046-19051, 19080-19087, 19089-19221, 19224.
Up to chassis No. except Nos.
6. Fr.o.m. chassi nr 19226 samt nr 18992-18993, 19018-19044, 19046-19051, 19080-19087, 19089-19221, 19224.
W.e.f. chassis No. and Nos.
7. Fr.o.m. chassi nr 27498.

8. För kardanaxel med mått A = 32 13/32". Se anm. 2 sida 54.
9. För kardanaxel med mått A = 32 3/4". Se anm. 2 sida 54.

1. For H6 transmission.
2. For M4, M30 and M40 transmissions.
3. For M31 transmission.
4. Only fitted to a certain number of vehicles operating on the United States market. This model is recognized by the fact that the transmission and propeller shaft are fitted with round companion flanges and the rear axle has a rectangular companion flange. M40 transmission.

7. W.e.f. chassis No. 27498.
8. For propeller shafts with measurement A = 32 13/32". See page 54 footnote 2.
9. For propeller shafts with measurement A = 32 3/4". See page 54 footnote 2.

Grupp Group		4		P 120			VOLVO Reservdelskatalog Parts catalogue	
Sida Page	54	Utgåva Issue	2					
Pos Fig.	Antal Qty.			Benämning	Description	Det. nr Part No.	Anmärkning Notes	
	653052	662981	662982					
25	1			Kardanaxel, bakre, kompl. Detaljer se sida 56	Propeller shaft, rear, cpl. Components, see page 56	653052		
26			1	Kardanaxel, bakre, kompl.	Propeller shaft, rear, cpl.	662982	1, 2)	
27	2			Smörjnippel	Lubricator		Se pos 3. See fig. 3.	
28	2			Krampa	U-bolt		Se pos 4. See fig. 4.	
29	4			Mutter	Nut		Se pos 5. See fig. 5.	
30	4			Fjäderbricka	Spring washer		Se pos 6. See fig. 6.	
31		4	8	Skruv	Bolt	102754		
32			8	Mutter	Nut	10817		
33		2		Mutterplatta	Nut plate	89891		
34		2	8	Låsbricka	Lock washer	15260		

- Endast för ett visst antal fordon inom USA marknaden. Detta utförande igenkänns på att växellåda och kardanaxlar är försedda med runda medbringare och bakväxel med rektangulär medbringare. M40 växellåda.
- Har förekommit i två utföranden; dels ett tidigare med min. mått A = 32 13/32", dels ett senare med min. mått A = 32 3/4".

- Only fitted to a certain number of vehicles operating on the United States market. This model is recognised by the fact that the transmission and the propeller shaft are fitted with round companion flanges and the rear axle has a rectangular flange. M40 transmission.
- Has appeared as two models: early production with a minimum value A = 32 13/32" and late production with a minimum value A = 32 3/4".