



Fig. 23. Combined instrument, Part No. 88181

<u>Fig.</u>	<u>Description</u>	<u>Part No.</u>	<u>Qty.</u>
<u>INSTRUMENTS</u>			
	<u>Combined instrument, complete</u>	88181 ¹⁾	1
23- 1	. Forward and rear plate, complete	88665	1
23- 2	. . Lens for speedometer	88666	1
23- 3	. . Lens for oil pressure gauge and ammeter	88667	1
23- 4	. . Lens for fuel and temperature gauge	88668	1
23- 5	. <u>Speedometer</u> , complete	88621	1
23- 6	. . Casing for speedometer	88622	1
23- 7	. . . Rubber gasket	88623	1
23- 8	. . Screw, casing - speedometer	950011	2
23- 9	. . . Rubber washer	83967	2
23-10	. . . Base washer	83966	2
23-11	. Screw for speedometer	14172	2
23-12	. Mounting plate for combined instrument	88624	2
23-13	. . <u>Ammeter</u>	88625	1
23-14	. . . Insulating washer	83958	1
23-15	. . . Base washer	88626	2
23-16	. . . Nut	151214	2
23-17	. . . Lock washer	951693	2
23-18	. . <u>Oil pressure gauge</u>	88627	1
23-19	. . . Screw	14172	2
23-20	. . <u>Fuel gauge</u>	88628	1
23-21	. . . Insulating plate	83962	1
23-22	. . . Base washer	88626	2
23-23	. . . Nut, No. 10, 32 threads per inch	151214	1
23-24	. . . Nut, No. 8, 32 threads per inch	151006	1
23-25	. . . Lock washer	951693	1
23-26	. . <u>Temperature gauge</u>	88629	1
23-19	. . . Screw	14172	2
23-27	. Screw for mounting plate	14172	6
	<u>Combined instrument, complete</u>	89242 ²⁾	1
	. Forward and rear casing, complete	89416	1
	. . Lens for speedometer	88666	1
	. . Scale for speedometer	89419	1

1. Up to chassis No. 36987.

2. For chassis Nos. 36988-76644.

Instruments

<u>Description</u>	<u>Part No.</u>	<u>Qty.</u>
. . Lens for oil pressure gauge and ammeter	89420	1
. . Lens for fuel and temperature gauge	89421	1
. <u>Speedometer</u> , complete, with casing	89422	1
. . Nut	150139	1
. . Washer	120647	1
. <u>Ammeter</u> , complete	89423	1
. . Insulating washer	89424	2
. . Base washer	120608	2
. . Nut	10455	4
. . Lock washer	951693	2
. . Washer (brass)	11988	2
. <u>Oil pressure gauge</u>	89425	1
. <u>Fuel gauge</u> , complete	89426	1
. . Plastic protector for cable terminal	89427	2
. . Base washer	18709	2
. . Nut for connecting screw	19629	2
. . Nut with insulating cover, for connecting screw	89428	2
. <u>Temperature gauge</u>	89429	1
. <u>Reduction nipple</u> for temperature gauge, in cylinder head	16212	1
. Screw for gauge	115001	13
<u>Combined instrument</u> , complete	89960 ¹⁾	1
. Rear casing	89976	1
. Front casing (chromed)	89977	1
. . Lens for speedometer	88666	1
. . Scale for speedometer	89419	1
. . Lens for oil pressure gauge and ammeter	89420	1
. . Lens for fuel and temperature gauge	89421	1
. <u>Speedometer</u> , complete, with casing	89422	1
. . Nut	150139	1
. . . Washer	120647	1
. <u>Ammeter</u> , complete	89966	1
. . Insulating washer	89424	2
. . Base washer	120608	2
. . Nut	10455	4
. . Lock washer	951693	2
. . Washer (brass)	11988	2
. <u>Oil pressure gauge</u>	89967	1

1. From chassis No. 76645 onwards.

Instruments

<u>Fig.</u> <u>No.</u>	<u>Description</u>	<u>Part No.</u>	<u>Qty.</u>
	. <u>Fuel gauge</u> , complete	89968	1
	. . Plastic protector for cable terminal	89427	2
	. . Base washer	18709	2
	. . Nut for connecting screw	19629	3
	. . Brass washer	120080	3
	. . Nut with insulating cover, for connecting screws	89428	2
	. <u>Temperature gauge</u>	89969	1
	. Reduction nipple for temperature gauge, in cylinder head	16212	1
	. Screw for combined instrument	115001	13
23-28	Reduction nipple for temperature gauge at engine	16212	1
23-29	Clamp for combined instrument	94517	2
23-30	. Nut	906574	2
23-31	. Spring washer	906983	2
23-32	<u>Hood</u> for instruments	94516	1
23-33	. Stud	130004	1
23-34	. . Nut	921782	1
23-35	. . Base washer	11961	1
23-36	. . Spring washer	906987	1
23-37	<u>Switch</u> for instrument lighting	88281	1
	. Screw	950008	2
	. . Spring washer	906983	2
23-38	<u>Speedometer cable</u> , complete	87998 ¹⁾	1
23-39	. Inner drive cable	86714	1
	Speedometer cable, complete	89243 ²⁾	1
	. Inner drive cable	89454	1
23-40	Cork gasket for speedometer cable	65595	1
23-41	Bolt for speedometer cable, at gearbox	902251	1
23-42	. Spring washer	906987	1
	Double clamp for speedometer cable, at gearbox support plate	18394 ³⁾	1
	. Screw	14022	1
	. . Nut	906574	1
	. . Spring washer	906985	1

1. Up to chassis No. 36987.

2. From chassis No. 36988 onwards.

3. Early production.

Instruments

<u>Description</u>	<u>Part No.</u>	<u>Qty.</u>
Bracket for double clamp, at gearbox support plate	87987 ¹⁾	1
. Bolt	902279	1
. . Spring washer	906990	1
Retainer (cable ring) for speedometer cable	89269 ²⁾	1
. Screw, self-tapping	106924	1
Double clamp for speedometer cable, at dashboard	18394	1
. Screw, self-tapping	106916	1
Rubber bushing for speedometer cable, in gearbox support plate	89047	1
Rubber bushing for speedometer cable, in dashboard	87841	1
Copper piping for oil pressure gauge, 1/8", (early production)	15900	x)
Steel piping for oil pressure gauge, 1/8", (late production)	18921	x)
. Connection at oil pressure gauge and No. 88018	26699	2
<u>Flexible hose</u> , oil pressure gauge pipe - block	87970	1
. Screw connection in engine	180110	1
. Screw connection on dashboard	88018	1
. . Screw	14031	1
. . . Spring washer	906987	1

- 1. Early production.
- 2. Late production.
- x. State required length.