

Fig. No.	Description	Part No.	Qty.
<u>ELECTRICAL CABLES</u>			
	<u>Ignition cable</u> , cpl., for 1st. cylinder	403973	1
	Ignition cable, cpl., for 2nd. cylinder	403974	1
	Ignition cable, cpl., for 3rd. and 4th. cylinders	403975	2
	Cable terminal at distributor	954513	4
	Tubular cable terminal at spark plug	954515	4
	Rubber protector for ignition cables	20366	4
	<u>High tension cable</u> , cpl.	655986	1
	. Clamp cable terminal	11569	2
	. Rubber protector	20366	2
	<u>Low tension cable</u> , cpl.	88613	1
	. Cable terminal	11423	2
	. Rubber protector	83403	2
	<u>Ground strap</u> for engine, flywheel housing - body	11525 ¹⁾	1
	<u>Ground strap</u> for engine, flywheel housing - body	190339 ²⁾	1
	Bolt	902307	1
	Nut	906577	1
	Washer	11963	1
	Bolt	940148	1
	Washer	120097	1
	<u>Ground strap</u> , cpl., for battery	11521	1
	Bolt	105154	1
	Nut	151205	1
	Screw	190693	1
	Nut	151215	1
	Washer	120095	1
	Spring washer	906987	1
	<u>Ground strap</u> , generator - body	658423 ³⁾	1
	<u>Starter motor cable</u> , cpl.	190828	1
	. Cable terminal, cpl., at battery	190827	1
	. Bolt	105154	1
	. Nut	151205	1
	. Cable terminal at starter motor	954508	1
	. Protector sleeve	185502	*
	Nut	151216	1
	Spring washer	906990	1
	Rubber cover	95018	1
	<u>Cable harness</u> , cpl., for L headlamp	651869	1
	<u>Cable harness</u> , cpl., for R headlamp	651870	1
	Cable terminal	11423	2
	Contact sleeve	654365	2
	Contact washer	654366	6

1. B 16 A engines.

2. B 16 B engines.

3. W.e.f. chassis No. 183136.

* State required length.

Electrical cables

Fig. No.	Description	Part No.	Qty.
	Screw for cables	115483	1
	Lock washer	951693	1
	Cable harness, cpl., on firewall	651871	1
	. Cable terminal, 0.75-2.5 mm ² , hole diam. = 5.3	11423	6
	. Cable terminal, 4-6 mm ² , hole diam. = 5.3	11409	1
	. Clamp cable terminal	11576	1
	Cable harness, cpl., for instrument lighting	88499	1
	. Cable terminal	11409	1
	. Socket	82159	2
	. Spring	82385	2
	. Bushing	82386	2
	. Washer	82387	2
	Cable harness, cpl., in left body side	651872	1
	. Cable terminal, 0.75-2.5 mm ² , hole diam. = 3.5	13753	2
	0.75-2.5 mm ² , hole diam. = 5.3	11423	9
	4-6 mm ² , hole diam. = 5.3	11409	5
	. Clamp cable terminal	11576	1
	. Socket	82159	1
	. Spring	82385	1
	. Bushing	82386	1
	. Washer	82387	1
	Clamp for cable in luggage compartment	951189	1
	Screw	107401	1
	Cable harness, cpl., for directional indicator, forward, L	651910	1
	forward, R	651911	1
	rear, L	651912	1
	rear, R	651913	1
	Cable terminal	11423	4
	Cable harness, cpl., for directional indicator control lamp	89376	2
	. Socket	82159	2
	. Spring	82385	2
	. Bushing	82386	2
	. Washer	82387	2
	Cable harness, cpl., for windshield wiper motor	656131	1
	. Clamp cable terminal	190683	4
	. Cable terminal	11570	1
	Cable, windshield wiper motor - switch	656143	1
	Cable harness, cpl., generator - charging relay	88798	1
	. Cable terminal, 0.75-2.5 mm ² , hole diam. = 5.3	11423	2
	. Cable terminal, 4-6 mm ² , hole diam. = 5.3	11409	1
	. Cable terminal, 4-6 mm ² , hole diam. = 6.7	11405	1
	Cable, cpl., for horn	89270	1
	. Cable terminal	190151	1
	. Clamp cable terminal	11576	2

Fig. No.	Description	Part No.	Qty.
	Ground strap, cpl., for horn	89271	2
	Cable terminal	11423	2
	Clamp cable terminal	11576	2
	Screw for horn ground strap	107400	2
	Ground strap for rear number plate lighting	655966	2
	<u>Plastic insulated cable</u>		
	1.5 mm ² blue	954448	*
	1.5 mm ² green	954447	*
	1.5 mm ² red	954445	*
	1.5 mm ² black	954443	*
	2.5 mm ² blue	954456	*
	2.5 mm ² green	954455	*
	2.5 mm ² red	954453	*
	2.5 mm ² black	954451	*
	2.5 mm ² white	954458	*
	4 mm ² red	954461	*
	6 mm ² red	954469	*
	6 mm ² black	954467	*
	<u>Terminals</u>		
	0.75-2.5 mm ² , hole diam. = 3.5	13753	**
	0.75-2.5 mm ² , hole diam. = 5.3	11423	**
	4-6 mm ² , hole diam. = 5.3	11409	**
	4-6 mm ² , hole diam. = 8.4	11410	**
	<u>Clamp cable terminals</u>		
	0.75-2.5 mm ²	11576	**
	4-6 mm ²	190157	**
	<u>Rubber bushings and cable protectors</u>		
	<u>Rubber bushings for cables</u>		
	D = 3/4"	43138	**
	D = 7/8"	91395	**
	D = 1 3/16", d = 3/8"	88273	**
	D = 1 3/16", d = 1"	90882	**
	D = 1 7/16"	87841	**
	D = 1 5/8"	66089	**
	<u>Cable protectors</u>		
	Plastic cable, d = 8	185501	**
	Plastic cable, d = 5	185506	**
	Rubber protector, d = 4, l = 20	83403	1

* State required length.
** Order as required.