




Grupp Group		6		PV 445, P 210		VOLVO Reservdelskatalog Parts catalogue	
Sida Page	2	Utgåva Issue	4	Framaxel, parallellstog, hjul		Front axle, tie-rods, wheels	
Pos Fig.	Antal Qty.	Benämning		Description		Del. nr Part No.	Anmärkning Notes
1	1	Framaxelbalk		Front suspension cross member		86837-2	1, 3)
	1	Framaxelbalk		Front suspension cross member		88608-5	2, 3)
	1	Framaxelbalk		Front suspension cross member		660411-0	4)
	1	Framaxelbalk		Front suspension cross member		663510-6	5) 663485-
2	8	Skruv		Bolt		902305-2	
2a	4	Bricka		Washer		940097-9	
3	8	Låsbricka		Lock washer		951699-8	
4	2	Bricka		Washer		658964-2	
5	1	Spindel, kmpl, V		Steering knuckle, cpl, L		87557-5	6)
	1	Spindel, kmpl, V		Steering knuckle, cpl, L		88647-3	7, 8)
	1	Spindel, kmpl, H		Steering knuckle, cpl, R		87758-3	6)
	1	Spindel, kmpl, H		Steering knuckle, cpl, R		88648-1	7, 9)
6	4	. Bussning		. Bushing		18148-7	6)
	4	. Bussning		. Bushing		18262-6	7)
7	2	Mutter		Nut		10521-3	
8	2	Saxpinne		Cotter pin		907849-4	
9	2	Skruv		Bolt		100210-4	
10	2	Mutter		Nut		906576-4	
11	4	Smörjnippl		Lubricator		914167-2	
12	2	Spindelbult		King pin		87019-6	6)
	2	Spindelbult		King pin		88649-9	7)
13	2	Kil		Key		80856-8	
14	4	Bricka		Washer		83414-3	
15	erf	Justermellanlägg, tj = 0,10		Shim, th = 0,10		87209-3	
	erf	0,35		0,35		87210-1	
	erf	0,50		0,50		120766-1	
16	2	Kullager		Ball bearing		19597-4	SKF:2K - T - 76

- P44511 t o m chassi nr 500.
- 44505-44508, utom vagnar märkta 5081, S-1144 och S-1146.
P44511 fr o m chassi nr 501 utom vagnar märkta 5081, S-1144 och S-1146.
P2100 och P2101 utom vagnar märkta 5081, S-1144 och S-1146.
- Ersättes för vagnar med motor B48 och B14A av 1 st framaxelbalk 662808-5, 1 st motorfäste 666903-0 och 1 st 666904-8 och för vagnar med motor B16 av 1 st framaxelbalk 662808-5, 1 st motorfäste 662289-8 och 1 st 662290-6.
- P44505-44508 märkta S-1144.
P44511 fr o m chassi nr 501 märkta S-1144.
P2100 och P2101 märkta S-1144.
Ersättes för vagnar med motor B48 och B14A av 1 st framaxelbalk 663510-6, 1 st motorfäste 666903-0 och 1 st 666904-8 och för vagnar med motor B16 av 1 st framaxelbalk 663510-6, 1 st motorfäste 662289-8 och 1 st 662290-6.
- P44505-P44508 märkta 5081 och S-1146
P44511 fr o m chassi nr 501 märkta 5081 och S-1146
P2100 och P2101 märkta 5081 och S-1146 .
- P44511 t o m chassi nr 1600.
- P44505-P44508. P44511 fr o m chassi nr 1601.
P2100, P2101.
- Ersättes av 1 st spindel 659044-2, 1 st styrarm 659042-6 och 1 st mutter 153042-7.
- Ersättes av 1 st spindel 659045-9, 1 st styrarm 659043-4 och 1 st mutter 153042-7.
- P44511 up to chassis No 500.
- 44505-44508, except chassis marked S-1144 and S-1146.
P44511 w e f chassis No 501 except chassis marked 5081, S-1144 and S-1146.
P2100 and P2101 except chassis marked 5081, S-1144 and S-1146.
- Replaced on chassis with B48 and B14A engines with 1 front suspension cross member 662808-5, 1 engine anchorage 666903-0 and 1 666904-8. On chassis with B16 engines with 1 front suspension cross member 662808-5, 1 engine anchorage 662289-8 and 1 662290-6.
- P44505-44508 marked S-1144.
P44511 w e f chassis No 501 marked S-1144.
P2100 and P2101 marked S-1144.
Replaced for chassis with B48 and B14A engines with 1 front suspension cross member 663510-6, 1 engine anchorage 666903-0 and 1 666904-8. For chassis with B16 engines by 1 front suspension cross member 663510-3, 1 engine anchorage 662289-8 and 1 662290-6.
- P44505-P44508 marked 5081 and S-1146
P44511 w e f chassis No 501 marked 5081 and S-1146
P2100 and P2101 marked 5081 and S-1146 .
- P44511 up to chassis No 1600.
- P44505-P44508. P44511 w e f chassis No 1601.
P2100, P2101.
- Replaced by 1 steering knuckle 659044-2, 1 steering arm 659042-6 and 1 nut 153042-7.
- Replaced by 1 steering knuckle 659045-9, 1 steering arm 659043-4 and 1 nut 153042-7.

Grupp Group		6		PV 445, P 210		VOLVO Reservdelskatalog Parts catalogue	
Sida Page	4	Utgåva Issue	4	Framaxel, parallellstag, hjul	Front axle, tie-rods, wheels		
Pos Fig.	Antal Qty.	Benämning		Description		Det. nr Part No.	Anmärkning Notes
17	1	Styrarm, V		Steering arm, L		86695-4	1)
	1	Styrarm, V		Steering arm, L		88651-5	2)
	1	Styrarm, V		Steering arm, L		88915-4	3, 4)
	1	Styrarm, H		Steering arm, R		86696-2	1)
	1	Styrarm, H		Steering arm, R		88652-3	2)
	1	Styrarm, H		Steering arm, R		88916-2	3, 4)
18	2	Woodruffkil		Woodruff key		910116-3	
19	2	Mutter		Nut		10521-3	
20	2	Saxpinne		Cotter pin		907849-4	
21	1	Parallellstag, kmpl		Tie-rod, cpl		660980-4	
21a	1	. Rör, tid utf		. Tube, early prod		87399-2	I = 352
	1	. Rör, sen utf		. Tube, late prod		661231-1	5) I = 300
22	1	. Kulled, kmpl, V		. End, cpl, L		87397-6	6)
	1	. Kulled, kmpl, V		. End, cpl, L		659850-2	7, 8)
23	1	. Kulled, kmpl, H		. End, cpl, R		87398-4	6)
	1	. Kulled, kmpl, H		. End, cpl, R		659849-4	7, 8)
24	2	. Mutter		. Nut		153001-3	9, 10)
	2	. Mutter		. Nut		190573-6	10, 11)
25	2	. Saxpinne		. Cotter pin		907844-5	9, 10)
	2	. Saxpinne		. Cotter pin		907824-7	10, 11)
	2	. Bricka		. Washer		87401-6	9, 10)
26a	2	. Dammskydd		. Dust cover		87282-0	Alt 1, D = 22
26b	2	. Dammskydd		. Dust cover		89369-3	Alt 2
26c	2	. Dammskydd		. Dust cover		659726-4	Alt 3, D = 32
27	2	. Smörjnippel		. Lubricator		951740-0	9)
	2	. Smörjnippel		. Lubricator		951739-2	11)
	2	. Klammer, kmpl		. Clamp, cpl		83667-6	12)
	2	. Skruv		. Bolt		921626-8	
	2	. Mutter		. Nut		921781-1	
	2	. Fjäderbricka		. Spring washer		906990-7	
28	2	. Klammer, kmpl		. Clamp, cpl		89412-1	13)
29	2	. Skruv		. Bolt		100155-1	
30	2	. Mutter		. Nut		951200-5	
31	2	. Fjäderbricka		. Spring washer		906990-7	
	1	. Stoppmutter, vänstergängad ...		. Stop nut, left-hand thread		661288-1	14)
	1	. Stoppmutter, högergängad ...		. Stop nut, right-hand thread		661289-9	14)

1. P44511 t o m chassi nr 1600.
2. P44506 t o m chassi nr 8
P44511 chassi nr 1601-2770.
3. P44505, P44506 t r o m chassi nr 9
P44507-44508. P44511 fr o m chassi nr 2771.
P2100, P2101.
4. Kan genom reservdelsbyte även förekomma på P44511
med lägre chassi nr dock endast i samband med styrstänger
nr 89221-6 och 89222-4. För identifiering av styrstänger
se sida 6.
5. Utan slitsade ändar. Ersätter tid förekommande rör, l=315,
med slitsade ändar, varvid stoppmutter 661288 och 661289
skall monteras samtidigt.
6. Urf 1. Kulbultens l = 57.
7. Urf 2. Kulbultens l = 54.
8. 1 st 659849-4 och 1 st 659850-2 ersätter tid förekommande
kulled, vars kulbult haren längd av 61 mm. Monteras parvis.
9. För kulled 87397 och 87398. Ingår ej i kmpl kulled.
10. Ingår ej i kmpl parallellstag.
11. För kulled 659850 och 659849.
12. För rör 87399.
13. För rör, l = 315, med slitsade ändar.
14. För rör 661231.

1. P44511 up to chassis No 1600.
2. P44506 up to chassis No 8
P44511 chassis No 1601-2770.
P44505, P44506 w e f chassis No 9
P44507-44508. P44511 w e f chassis No 2771.
P2100, P2101.
4. Can appear on P44511 with preceding chassi Nos owing to
previous replacement, however only in conjunction with
steering rods Nos 89221-6 and 89222-4. See page 6
regarding identification of steering rods.
5. Without slits in ends. Replaces early prod tube with a length
of 315 mm and slits in ends, whereupon stop nut 661288 and
661289 shall be mounted simultaneously.
6. Model 1 ball stud length = 57.
7. Model 2 ball stud length = 54.
8. 1 pc 659849 and 1 pc 659850 replace early prod ends with
a ball stud length of 61 mm. Replaced as a pair.
9. For ends 87397 and 87398, not included in cpl tie-rod ends.
10. Not included in cpl tie-rod.
11. For ends Nos 659850 and 659849.
12. For tube 87399.
13. For tube with a length of 315 mm and slits in ends.
14. For tube 661231.

Grupp Group		6		PV 445, P 210		VOLVO	
Sida Page		6		Utgåva Issue		Reservdelskatalog Parts catalogue	
				Framaxel, parallellstug, hjul		Front axle, tie-rods, wheels	
Pos Fig.	Antal Qty.	Benämning		Description		Det. nr Part No.	Anmärkning Notes
32	1	Mellanarm, kmpl		Steering idler arm, cpl		87136-8	1)
	1	Mellanarm, kmpl		Steering idler arm, cpl		88920-4	2)
	1	Mellanarm, kmpl		Steering idler arm, cpl		651797-3	3)
33	2	. Bussning		. Bushing		18133-9	
34	1	Distanshylsa		Spacer sleeve		87526-0	
35	2	Gummitätning		Rubber seal		87158-2	
36	1	Skruv		Bolt		100264-1	
37	1	Mutter		Nut		951201-3	
38	1	Låsbricka		Lock washer		951699-8	
39	1	Smörjnippel		Lubricator		914167-2	
40	1	Styrstång, kmpl, V		Steering rod, cpl, L		89405-5	1, 4)
	1	Styrstång, kmpl, V		Steering rod, cpl, L		89221-6	5)
	1	Styrstång, kmpl, H		Steering rod, cpl, R		89406-3	1, 4)
	1	Styrstång, kmpl, H		Steering rod, cpl, R		89222-4	5)
41	4	. Smörjnippel		. Lubricator		951739-2	
42	4	. Mutter		. Nut		153001-3	6) 3/8" x 24
	4	. Mutter		. Nut		190573-6	7, 8) 10 x 1
43	4	. Saxpinne		. Cotter pin		907824-7	7)
44a	4	. Dammskydd		. Dust cover		87282-0	6)
44b	4	. Dammskydd		. Dust cover		89369-3	7, 8)
	4	Bricka		Washer		87401-6	6)
45	2	Länkarm, övre		Control arm, upper		87025-3	9)
	2	Länkarm, övre		Control arm, upper		663423-2	10)
46	2	Axel		Shaft		87043-6	
47	4	Bussning		Bushing		87027-9	
48	4	Smörjnippel		Lubricator		914169-8	
49	4	Gummitätning		Rubber seal		87028-7	
50	4	Skruv		Screw		107002-8	
51	4	Fjäderbricka		Spring washer		906994-9	
52	2	Gummbuffert		Rubber cushion		83107-3	

1. P44506 t o m chassi nr 8
P44511 t o m chassi nr 2770.

2. P44505 t o m chassi nr 1999
P44506 chassi nr 9-7978
P44507-44508 t o m chassi 2856
P44511 chassi nr 2771-3585.

3. P44505 fr o m chassi nr 2000.
P44506 fr o m chassi nr 7979
P44507-44508 fr o m chassi nr 2857
P44511 fr o m chassi nr 3586
P2100, P2101.

4. Längd mellan kulbultarnas centrumlinje = 423 mm

5. Längd mellan kulbultarnas centrumlinje = 411 mm
P44505, P44506 fr o m chassi nr 9.
P44507-44508, P44511 fr o m chassi nr 2771.
P2100, P2101.
Kan genom reservdelsbyte även förekomma på fordon med lägre chassi nr, dock endast i samband med styrarmar nr 88915-4 och 88916-2.

6. Monteras i samband med styrstång vars kulbultar har en längd av 57 mm

7. Ingår ej i kmpl styrstång 89221-6 och 89222-4.

8. Monteras i samband med styrstång vars kulbultar har en längd av 61 mm.

9. För samtliga fordon utom fordon märkta S-1142.

10. För fordon märkta S-1142.

1. P44506 up to chassis No 8
P44511 up to chassis No 2770.

2. P44505 up to chassis No 1999
P44506 chassis No 9-7978
P44507-44508 up to chassis 2856
P44511 chassis No 2771-3585.

3. P44505 w e f chassis No 2000
P44506 w e f chassis No 7979
P44507-44508 w e f chassis No 2857
P44511 w e f chassis No 3586
P2100, P2101.

4. Length between ball stud centre line = 423 mm

5. Length between ball stud centre line = 411 mm
P44505, P44506 w e f chassis No 9.
P44507-44508, P44511 w e f chassis No 2771.
P2100, P2101
Can appear on vehicles with preceding chassis Nos owing to replacement, but only in conjunction with steering arms Nos 88915-4 and 88916-2.

6. Mounted in conjunction with steering rods of which the ball studs have a length of 57 mm

7. Not included in complete steering rods 89221-6 and 89222-4

8. Fitted in conjunction with steering rods of which the ball studs have a length of 61 mm.

9. For all chassis except those marked S-1142.

10. For chassis marked S-1142.

Grupp Group		6		PV 445, P 210		VOLVO	
Sida Page		Utgåva Issue		Framaxel, parallellsteg, hjul		Front axle, tie-rods, wheels	
Pos Fig.		Antal Qty.		Benämning		Description	
						Def. nr Part No.	
						Anmärkning Notes	
53	1	1	Länkar, kompl, nedre, V		Control rod, cpl, lower, L	87475-0	1)
	1	1	Länkar, kompl, nedre, V		Control rod, cpl, lower, L	666163-1	2)
	1	1	Länkar, kompl, nedre, H		Control rod, cpl, lower, R	87474-3	1)
	1	1	Länkar, kompl, nedre, H		Control rod, cpl, lower, R	666164-9	2)
54	4	4	Bussning		Bushing	87031-1	
55	6	6	Skruv		Bolt	107001-0	
56	6	6	Mutter		Nut	951201-3	
57	6	6	Fjäderbricka		Spring washer	906993-1	
58	2	2	Axel		Shaft	87044-4	
59	4	4	Bussning		Bushing	87033-7	
60	4	4	Mutter		Nut	190781-5	3)
61	4	4	Bricka		Washer	18702-1	
62	4	4	Saxpinne		Cotter pin	907849-4	tid utf. Early prod
63	8	8	Skruv		Bolt	191724-4	4)
64	8	8	Mutter		Nut	191723-6	5)
65	8	8	Fjäderbricka		Spring washer	906993-1	
66	8	8	Saxpinne		Cotter pin	907834-6	tid utf. Early prod
67	2	2	Gummibuffert		Rubber cushion	83108-1	1)
68	2	2	Mutter		Nut	906577-2	1)
69	2	2	Fjäderbricka		Spring washer	906993-1	1)
69a	2	2	Gummiålfjäder		Hollow rubber spring	631740-8	2)
69b	2	2	Bussning		Bushing	631742-4	2)
69c	2	2	Bricka		Washer	631741-6	2)
69d	2	2	Mutter		Nut	921981-7	2)
69e	2	2	Fjäderbricka		Spring washer	906990-7	2)
70	2	2	Fjäder		Spring	87935-3	
71	2	2	Hållare		Retainer	87040-2	6,7) tid utf Early prod
	2	2	Hållare		Retainer	89833-8	8) sen utf Late prod
72	2	2	Skruv		Bolt	100259-1	
73	2	2	Bult		Bolt	87020-4	
74	2	2	Mutter		Nut	17620-6	
75	4	4	Låsbricka		Spring washer	18872-2	
76	2	2	Exenterbussning		Eccentric bushing	87023-8	6)D=28 tid utf Early prod
	2	2	Exenterbussning		Eccentric bushing	89834-6	8)D=33sen utf Late prod
77	4	4	Gummitätning		Rubber seal	88147-4	
78	2	2	Smörjnippl		Lubricator	951739-2	
79	2	2	Bult		Bolt	87020-4	
80	2	2	Mutter		Nut	17620-6	
81	4	4	Låsbricka		Lock washer	18872-2	

1. Samtliga utom vagnar märkta 5081, S-1144 och S-1146.
2. För vagnar märkta 5081, S-1144 och S-1146.
3. Ersätter tid förekommande mutter och saxpinne.
4. Ersätter tid utf av skruv med hål för saxpinne. om mutter 191723-6 samtidigt monteras.
5. Ersätter tid förekommande kronmutter om samtidigt skruv 191724-4 monteras.
6. P44505 t o m chassi nr 1043.
P44506 t o m chassi nr 5107 utom nr 5093 - 5095.
P44507-44508 t o m chassi nr 26.
P44511 t o m chassi nr 3453.
7. Ersättes av 1 st hållare 89833-8 och 1 st bussning 89834-6.
8. P44505 fr o m chassi nr 1044.
P44506 fr o m chassi nr 5108 samt nr 5093-5095.
P44507-44508 fr o m chassi nr 27.
P44511 fr o m chassi nr 3454.
P2100, P2101.

1. All chassis except those marked 5081, S-1144 and S-1146.
2. For chassis marked 5081, S-1144 and S-1146.
3. Replaces early prod nut and cotter pin.
4. Replaces early prod bolt with cotter pin hole if nut 191723-6 is fitted simultaneously.
5. Replaces early prod castellated nut if bolt 191724-4 is fitted simultaneously.
6. P44505 up to chassis No 1043.
P44506 up to chassis No 5107 except Nos 5093 - 5095.
P44507-44508 up to chassis No 26.
P44511 up to chassis No 3453.
7. Replaced by 1 retainer 89833-8 and 1 bushing 89834-6.
8. P44505 w e f chassis No 1044.
P44506 w e f chassis No 5108 and Nos 5093-5095.
P44507-44508 w e f chassis No 27.
P44511 w e f chassis No 3454.
P2100, P2101.

Grupp Group		6		PV 445, P 210		VOLVO	
Sida Page		10		Utgåva Issue		3	
		Framaxel, parallellstug, hjul		Front axle, tie rods, wheels		Reservdelskatalog Parts catalogue	
Pos Fig.	Antal Qty.	Benämning	Description	Det. nr Part No.	Anmärkning Notes		
82	2	Bussning	Bushing S	87024-6			
83	4	Gummitätning	Rubber seal S	87022-0			
84	2	Smörjnippl	Lubricator S	951739-2			
85	2	Stötdämpare, kmpl	Shock absorber, cpl	276440-5	1)		
	4	Stötdämpare, kmpl	Shock absorber, cpl	276450-4	2)		
	2	. Stötdämpare	. Shock absorber	S E S	1)		
	4	. Stötdämpare	. Shock absorber	S E S	2)		
86	8	. Gummibussning, märkt 89567	. Rubber bushing, marked 89567	89567-2	1)		
	16	. Gummibussning, märkt 89567	. Rubber bushing, marked 89567	89567-2	2)		
	8	Gummibussning, märkt 86960	Rubber bushing, marked 86960 S	86960-2	3)		
87	2	Lagerbult, övre	Bearing bolt, upper	89568-0	1, 4) l=114,5		
	2	Lagerbult, övre	Bearing bolt, upper	663683-1	2)		
88	2	Lagerbult, undre	Bearing bolt, lower	89569-8	1, 4) l=103,5		
	2	Lagerbult, undre	Bearing bolt, lower	663685-6	2)		
89	4	Mutter	Nut	951210-4	1)		
	8	Mutter	Nut	951210-4	2)		
90	4	Bricka	Washer	18701-3	1)		
	4	Bricka	Washer	18701-3	2)		
91	4	Låsbricka	Lock washer	951701-2			
91a	4	Distanshylsa	Spacer sleeve	89570-6	2)		
91b	2	Distansring	Spacer ring	663473-7	2)		
91c	2	Distansring	Spacer ring	663474-5	2)		
92	4	Mutter	Nut	951212-0	1)		
93	4	Fjäderbricka	Spring washer	906997-2	1)		
94	1	Krängningshåmmare	Torque rod	87508-8			
95	2	Bult	Bolt	87387-7			
96	2	Rör	Tube	87386-9			
97	8	Gummibussning	Rubber bushing	83125-5			
98	8	Bricka	Washer	83126-3			
99	2	Mutter	Nut	955800-8	~~951200~~		
100	2	Klammer	Clamp	83121-4			
101	2	Gummibussning	Rubber bushing	83122-2			
102	4	Skruv	Bolt	902304-5			
103	4	Låsbricka	Lock washer	951699-8			
104	1	Nav, kmpl, V	Hub, cpl, L	87371-1	5)		
	1	Nav, kmpl, V	Hub, cpl, L	88630-9	6, 7)		
	1	Nav, kmpl, H	Hub, cpl, R	87372-9	5)		
	1	Nav, kmpl, H	Hub, cpl, R	88631-7	6, 8)		
	2	Nav, kmpl	Hub, cpl	667102-8	9) ~~653062~~		

1. Samtliga utom vagnar märkta 5081, S-1144 och S-1146.

2. För vagnar märkta 5081, S-1144 och S-1146.

3. Tid utf för 276440-5.

4. 89568-0 ersätter lagerbult i tid utf, l=111. 89569-8 ersätter lagerbult i tid utf, l=100. Vid dylikt byte måste 2 st gummibussn. 89567-2 monteras på varje bult.

5. P44511 t o m chassi nr 1600.

6. P44505 t o m chassi nr 2495.

P44506 t o m chassi nr 8691.

P44507-44508 t o m chassi nr 3552.

P44511 chassi nr 1601-3635.

7. Ersättes av 1 st nav 667102-8 och 5 st muttrar 87699-5.

8. Ersättes av 1 st nav 667102-8.

9. P44505 fr o m chassi nr 2496.

P44506 fr o m chassi nr 8692.

P44507-44508 fr o m chassi nr 3553.

P44511 fr o m chassi nr 3636.

P2100, P2101.

1. All chassis except those marked 5081, S-1144 and S-1146.

2. For chassis marked 5081, S-1144 and S-1146.

3. Early prod for 276440-5.

4. 89568-0 replaces early prod bearing bolt, l=111. 89569-8 replaces early prod bearing bolt, l=100. 2 rubber bushings 89567-2 are mounted in conjunction with each new bolt.

5. P44511 up to chassis No 1600.

6. P44505 up to chassis No 2495.

P44506 up to chassis No 8691.

P44507-44508 up to chassis No 3552.

P44511 chassis No 1601-3635.

7. Replaced by 1 hub 667102-8 and 5 nuts 87699-5.

8. Replaced by 1 hub 667102-8.

9. P44505 w e f chassis No 2496.

P44506 w e f chassis No 8692.

P44507-44508 w e f chassis No 3553.

P44511 w e f chassis No 3636.

P2100, P2101.

1. Samtliga utom vagnar märkta 5081, S-1144 och S-1146.
2. För vagnar märkta 5081, S-1144 och S-1146.
3. Tid utf för 276440-5.
4. 89568-0 ersätter lagerbult i tid utf, l=111. 89569-8 ersätter lagerbult i tid utf, l=100. Vid dylikt byte måste 2 st gummibussn. 89567-2 monteras på varje bult.
5. P44511 t o m chassi nr 1600.
6. P44505 t o m chassi nr 2495.
P44506 t o m chassi nr 8691.
P44507-44508 t o m chassi nr 3552.
P44511 chassi nr 1601-3635.
7. Ersättes av 1 st nav 667102-8 och 5 st muttrar 87699-5.
8. Ersättes av 1 st nav 667102-8.
9. P44505 fr o m chassi nr 2496.
P44506 fr o m chassi nr 8692.
P44507-44508 fr o m chassi nr 3553.
P44511 fr o m chassi nr 3636.
P2100, P2101.

1. All chassis except those marked 5081, S-1144 and S-1146.
2. For chassis marked 5081, S-1144 and S-1146.
3. Early prod for 276440-5.
4. 89568-0 replaces early prod bearing bolt, l=111. 89569-8 replaces early prod bearing bolt, l=100. 2 rubber bushings 89567-2 are mounted in conjunction with each new bolt.
5. P44511 up to chassis No 1600.
6. P44505 up to chassis No 2495.
P44506 up to chassis No 8691.
P44507-44508 up to chassis No 3552.
P44511 chassis No 1601-3635.
7. Replaced by 1 hub 667102-8 and 5 nuts 87699-5.
8. Replaced by 1 hub 667102-8.
9. P44505 w e f chassis No 2496.
P44506 w e f chassis No 8692.
P44507-44508 w e f chassis No 3553.
P44511 w e f chassis No 3636.
P2100, P2101.

Grupp Group		6		PV 445, P 210		VOLVO	
Sida Page		12		Utgåva Issue		Reservdelskatalog Parts catalogue	
				Framaxel, parallellstag, hjul		Front axle, tie rods, wheels	
Pos Fig.	Antal Qty.	Benämning		Description		Det. nr Part No.	Anmärkning Notes
105	2	. Yttering, inre		. Bearing cup, inner		19565-1	1) SKF:2 K-15520
	2	. Yttering, inre		. Bearing cup, inner		181131-4	2) SKF:2 K-15245
106	2	. Yttering, yttre		. Bearing cup, outer		18449-9	1) SKF:2 K-09194
	2	. Yttering, yttre		. Bearing cup, outer		181132-2	2) SKF:2 K-09195
107	4	. Hjulbult, vänstergängad		. Wheel bolt, L H thread		87378-6	1)
	5	. Hjulbult, vänstergängad		. Wheel bolt, L H thread		88634-1	3)
	4	. Hjulbult, högergängad		. Wheel bolt, R H thread		87379-4	1)
	5	. Hjulbult, högergängad		. Wheel bolt, R H thread		88635-8	3, 4)
	10	. Hjulbult, högergängad		. Wheel bolt, R H thread		654490-2	5)
108	2	Innerring, inre		Bearing cone, inner		19564-4	1) SKF:2 K-15580
	2	Innerring, inre		Bearing cone, inner		181130-6	2) SKF:2 K-15112
109	2	Innerring, yttre		Bearing cone, outer		19287-2	1) SKF:2 K-09070
	2	Innerring, yttre		Bearing cone, outer		18448-1	2) SKF:2 K-09074
110	2	Stänksplåt		Splash plate		87467-7	1)
	2	Stänksplåt		Splash plate		88641-6	6)
	1	Stänksplåt, V		Splash plate, L		658949-3	7)
	1	Stänksplåt, H		Splash plate, R		658950-1	7)
111	2	Oljetätning		Oil seal		87466-9	1)
	2	Oljetätning		Oil seal		88640-8	2)
112	2	Bricka		Washer		87464-4	
113	2	Fettkapsel		Grease cap		87465-1	
114	5	Hjul, 16 x 3,50 "		Wheel, 16 x 3,50 "		88377-7	1)
	5	Hjul, 15 x 4"		Wheel, 15 x 4"		89735-5	2)
115	8	Mutter, vänstergängad		Nut, L H thread		87700-1	1)
	10	Mutter, vänstergängad		Nut, L H thread		87700-1	3)
	8	Mutter, högergängad		Nut, R H thread		87699-5	1)
	10	Mutter, högergängad		Nut, R H thread		87699-5	3)
	20	Mutter, högergängad		Nut, R H thread		87699-5	5)
116	4	Navkapsel		Hub cap		87107-9	
117	5	Hjulring		Wheel ring		88754-7	
118	30	Fjäder		Spring		86789-5	8)
119	30	Skruv		Screw		14022-8	8)
120	30	Mutter		Nut		906574-9	8)
121	30	Fjäderbricka		Spring washer		906985-7	8)

1. P44511 t o m chassi nr 1600.
2. P44505-44508.
P44511 fr o m chassi nr 1601
P2100, P2101.
3. P44505 t o m chassi nr 2495
P44506 t o m chassi nr 8691
P44507-44508 t o m chassi nr 3552.
P44511 chassi nr 1601-3635.
4. Ersättes av 654490-2.
5. P44505 fr o m chassi nr 2496.
P44506 fr o m chassi nr 8692.
P44507-44508 fr o m chassi nr 3553.
P44511 fr o m chassi nr 3636.
P2100, P2101.
6. P44505-44508 t o m chassi nr 27153.
P44511 chassi nr 1601-3830.
7. P44505-44508 fr o m chassi nr 27154.
P44511 fr o m chassi nr 3831.
P2100, P2101.
8. För tidigare fastsättning av navkapsel.

1. P44511 up to chassis No 1600.
2. P44505-44508.
P44511 w e f chassis No 1601
P2100, P2101.
3. P44505 up to chassis No 2495
P44506 up to chassis No 8691
P44507-44508 up to chassis No 3552.
P44511 chassis No 1601-3635.
4. Replaced by 654490-2
5. P44505 w e f chassis No 2496
P44506 w e f chassis No 8692.
P44507-44508 w e f chassis No 3553.
P44511 w e f chassis No 3636.
P2100, P2101.
6. P44505-44508 up to chassis No 27153.
P44511 chassis Nos 1601-3830.
7. P44505-44508 w e f chassis No 27154.
P44511 w e f chassis No 3831.
P2100, P2101.
8. For early type hub cap attachment.